



Starycide[®] SC 480

Direction for Use

Usage table

Pest	Recommended dilution rate Starycide [®] SC 480 : water	Sprayer
Cockroaches	10 ml : 10 L water	Recommended to use conventional knapsack sprayer with 100 ml volume / m ² and spray at where cockroaches hide.
Fleas		Recommended to use conventional knapsack sprayer with 50 - 100 ml volume / m ² and spray in the surface or areas where fleas hide such as rugs and pet sleep areas.

Pest	Application rate	Sprayer	Motorized spray pump	ULV
Mosquitoes	70 ml / hectare	3.5 ml : 10 L water (spray volume 200 L / hectare)	35 ml / 10 L water (spray volume 20 L / hectare)	70 ml / 5 L water / hectare
	250 ml / hectare	12.5 ml : 10 L water (spray volume 200 L / hectare)	125 ml / 10 L water (spray volume 20 L / hectare)	250 ml / 5 L water / hectare

Pest	Recommended dilution rate Starycide [®] SC 480 : water	Sprayer	Treatment method
Fly larvae	10 ml : 10 L water	10 L / 10 m ²	Spray the surface of fresh manure that is wet and heavily infested with larvae.
	4 ml : 10 L water	10 L / 1000 L chicken manure	Spray the surface of liquid manure.
	2 ml : 10 L water	10 L / 1000 L chicken manure	Spray the surface of manure where the population of larvae has decreased.

FOR MORE INFORMATION, READ PRODUCT LABEL BEFORE USE

Bayer Co. (Malaysia) Sdn Bhd (7563 M)
Tel: 03-6209 3088 Email: es.malaysia@bayer.com

